
A PORTION OF TRACT "A", ACCORDING TO THE PLAT OF "MIAMI LAKES OFFICE PARK SECTION ONE", AS RECORDED IN PLAT BOOK 125 AT PAGE 56 OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA; TOGETHER WITH A PORTION OF TRACTS 20, 21, 22 AND 23 IN THE NORTHEAST 1/4 OF SECTION 22, TOWNSHIP 52 SOUTH, RANGE 40 EAST; ALSO TOGETHER WITH A PORTION OF TRACTS 10, 11, 12 AND 13 IN THE SOUTHEAST 1/4 OF SECTION 22 TOWNSHIP 52 SOUTH, RANGE 40 EAST; AND ALSO TOGETHER WITH THAT PORTION OF THAT CERTAIN UNNAMED RIGHT-OF-WAY LYING WITHIN THE FOLLOWING DESCRIBED PARCEL, ACCORDING TO THE PLAT OF "CHAMBERS LAND COMPANY SUBDIVISION", AS RECORDED IN PLAT BOOK 2 AT PAGE 68 OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA, ALL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE MOST EASTERLY CORNER OF SAID TRACT "A", AS SHOWN ON THE SAID PLAT OF "MIAMI LAKES OFFICE PARK SECTION ONE"; THENCE SOUTH OO DEGREES OF MINUTES OF SECONDS WEST, ALONG THE WEST RIGHT-OF-WAY LINE OF INDUSTRIAL WAY (COMMERCE WAY), AS SHOWN ON THE PLAT OF "MIAMI LAKES INDUSTRIAL PARK SECTION NINE". AS RECORDED IN PLAT BOOK 117 AT PAGE 76 OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA, FOR 194.26 FEET TO THE POINT OF BEGINNING OF THE HEREINAFTER DESCRIBED PARCEL; THENCE CONTINUE SOUTH 00 DEGREES 07 MINUTES 01 SECONDS WEST, ALONG THE LAST DESCRIBED COURSE, FOR 104.67 FEET TO A POINT OF CURVATURE; THENCE SOUTHWESTERLY. ALONG THE ARC OF A CIRCULAR CURVE TO THE RIGHT, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 752.64 FEET AND A CENTRAL ANGLE OF 47 DEGREES 23 MINUTES 42 SECONDS FOR AN ARC DISTANCE OF 622.58 FEET TO A POINT OF TANGENCY: THENCE SOUTH 47 DEGREES 30 MINUTES 43 SECONDS WEST FOR 121.45 FEET; SAID LAST DESCRIBED TWO COURSES BEING ALONG THE SAID WESTERLY RIGHT-OF-WAY LINE OF SAID INDUSTRIAL WAY (COMMERCE WAY) AS SHOWN ON THE SAID PLAT OF "MIAMI LAKES INDUSTRIAL PARK SECTION NINE" AND AS SHOWN ON THE PLAT OF "MIAMI LAKES INDUSTRIAL PARK SECTION TEN", AS RECORDED IN PLAT BOOK 118 AT PAGE 33, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA; THENCE NORTH 42 DEGREES 29 MINUTES 17 SECONDS WEST, ALONG THE NORTHEASTERLY LINE OF TRACT "A". AS SHOWN ON THE PLAT OF "MIAMI LAKES LAKESIDE CORPORATE CENTER", AS RECORDED IN PLAT BOOK 150 AT PAGE 96, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA, FOR 339.77 FEET; THENCE NORTH 44 DEGREES 42 MINUTES 10 SECONDS WEST FOR 62.17 FEET; THENCE NORTH 66 DEGREES 08 MINUTES 36 SECONDS WEST FOR 598.70 FEET; SAID LAST DESCRIBED TWO COURSES BEING ALONG THE NORTHEASTERLY LINES OF TRACT "C", AS SHOWN ON THE SAID PLAT OF "MIAMI LAKES LAKESIDE CORPORATE CENTER" ; THENCE NORTH 36 DEGREES 37 MINUTES 31 SECONDS EAST FOR 234.16 FEET: THENCE SOUTH 63 DEGREES 22 MINUTES 29 SECONDS EAST FOR 381.15 FEET; THENCE NORTH 60 DEGREES 34 MINUTES 32 SECONDS EAST FOR 120.55 FEET; SAID LAST DESCRIBED THREE COURSES BEING COINCIDENT WITH THE SOUTHEASTERLY, SOUTHWESTERLY AND EASTERLY LINES, RESPECTIVELY, OF TRACT "B", AS SHOWN ON THE SAID PLAT OF "MIAMI LAKES OFFICE PARK SECTION ONE"; THENCE NORTH 63 DEGREES 22 MINUTES 29 SECONDS WEST FOR 532.38 FEET: THENCE SOUTH 36 DEGREES 37 MINUTES 31 SECONDS WEST FOR 248.05 FEET; THENCE NORTH 73 DEGREES 22 MINUTES 29 SECONDS WEST FOR 319.75 FEET: THENCE NORTH 11 DEGREES 52 MINUTES 29 SECONDS WEST FOR 455.41 FEET; SAID LAST DESCRIBED FOUR COURSES BEING COINCIDENT WITH THE SOUTHWESTERLY, SOUTHEASTERLY, SOUTHERLY AND WESTERLY LINES OF SAID TRACT "A", AS SHOWN ON THE SAID PLAT OF "MIAMI LAKES OFFICE PARK SECTION ONE"; THENCE SOUTH 89 DEGREES 52 MINUTES 59 SECONDS EAST FOR 496.51 FEET TO A POINT ON THE NEXT DESCRIBED CIRCULAR CURVE, SAID POINT BEARS NORTH 82 DEGREES 33 MINUTES 49 SECONDS WEST FROM THE RADIUS POINT OF FOLLOWING DESCRIBED CIRCULAR CURVE; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CIRCULAR CURVE TO THE RIGHT, CONCAVE TO THE EAST, HAVING A RADIUS OF 57.00 FEET AND A CENTRAL ANGLE OF 33 DEGREES 40 MINUTES 48 SECONDS FOR AN ARC DISTANCE OF 33.51 FEET TO A POINT OF TANGENCY; THENCE NORTH 41 DEGREES 07 MINUTES 01 SECONDS EAST FOR 5.05 FEET TO A POINT ON THE NEXT DESCRIBED CIRCULAR CURVE; SAID POINT BEARS SOUTH 62 DEGREES 55 MINUTES 31 SECONDS WEST FROM THE RADIUS POINT OF THE FOLLOWING DESCRIBED CIRCULAR CURVE; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CIRCULAR CURVE TO THE LEFT, CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 243.00 FEET AND A CENTRAL ANGLE OF 62 DEGREES 48 MINUTES 30 SECONDS FOR AN ARC DISTANCE OF 266.38 FEET TO A POINT OF TANGENCY: THENCE SOUTH 89 DEGREES 52 MINUTES 59 SECONDS EAST FOR 90.90 FEET; SAID LAST DESCRIBED TWO COURSES BEING ALONG THE SOUTHERLY LIMITS OF A 58.00 FOOT WIDE INGRESS-EGRESS EASEMENT AS RECORDED IN OFFICIAL RECORDS BOOK 13809 AT PAGE 3459, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA; THENCE SOUTH OO DEGREES O7 MINUTES O1 SECONDS WEST. AT RIGHT ANGLES TO THE LAST DESCRIBED COURSE, FOR 118.53 FEET: THENCE SOUTH 63 DEGREES 22 MINUTES 29 SECONDS EAST FOR 158.04 FEET; THENCE SOUTH 26 DEGREES 37 MINUTES 31 SECONDS WEST, AT RIGHT ANGLES TO THE LAST AND NEXT DESCRIBED COURSES, FOR 18.00 FEET; THENCE SOUTH 63 DEGREES 22 MINUTES 29 SECONDS EAST FOR 355.60 FEET: THENCE EAST FOR 307.37 FEET TO A POINT OF CURVATURE; THENCE EASTERLY AND NORTHEASTERLY, ALONG THE ARC OF A CIRCULAR CURVE TO THE LEFT, CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 15.00 FEET AND A CENTRAL ANGLE OF 89 DEGREES 52 MINUTES 59 SECONDS FOR AN ARC DISTANCE OF 23.53 FEET TO THE POINT OF BEGINNING, ALL LYING AND BEING IN PORTIONS OF THE NORTHEAST 1/4, THE NORTHWEST 1/4, AND THE SOUTHEAST 1/4 OF SECTION 22 TOWNSHIP 52 SOUTH, RANGE 40 EAST, TOWN OF MIAMI LAKES, MIAMI-DADE COUNTY, FLORIDA.

SURVEYOR'S NOTES:

- 1. THIS SKETCH REPRESENTS AN "BOUNDARY SURVEY" WITH ELEVATIONS FOR "TENTATIVE PLAT" PURPOSES.
- 2. THERE ARE NO VISIBLE ENCROACHMENTS. OTHER THAN THOSE SHOWN HEREON.
- 3. THE ELEVATIONS SHOWN HEREON RELATE TO NATIONAL GEODETIC VERTICAL DATUM (N.G.V.D.) OF 1929 AND ARE EXPRESSED IN
- 4. VISIBLE INDICATORS OF UTILITIES ARE SHOWN HEREON, HOWEVER, THE SURVEYOR HAS MADE NO ATTEMPT TO AS-BUILT ANY UNDERGROUND UTILITIES EITHER SERVICING OR APPURTENANT TO ANY OF THE UTILITY IMPROVEMENTS SERVING THE SUBJECT SITE. (WATER, SEWER, DRAINAGE OR SITE LIGHTING).
- NO ATTEMPT WAS MADE BY THIS FIRM TO LOCATE WALL OR FENCE FOOTERS/FOUNDATIONS.
- . THE DISTANCES SHOWN ALONG THE PROPERTY LINES HEREON ARE RECORD AND MEASURED, UNLESS NOTED OTHERWISE. 7. THE PROPERTY SHOWN HEREON FALLS WITHIN FEDERAL FLOOD HAZARD ZONE "AE" (BASE FLOOD ELEVATION 6) PER FLOOD INSURANCE RATE MAP NO'S. 12086C0112L AND 12086C0114L, COMMUNITY NO.120686, PANEL NO'S. 0112 AND 0114, SUFFIX L.
- MAP PANELS AND INDEX MAP DATED SEPTEMBER 11, 2009. 8. THIS SKETCH HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE ENTITY (ENTITIES) NAMED HEREON. THE CERTIFICATION
- SHOWN HEREON DOES NOT EXTEND TO ANY UNNAMED PARTIES.
- 9. THIS SKETCH IS SUBJECT TO EASEMENTS, RIGHTS-OF-WAY AND OTHER MATTERS THAT MAY BE REFLECTED BY A SEARCH OF TITLE 10. APPLICABLE BUILDING SETBACK LINES AFFECTING THE SUBJECT PROPERTY, UNLESS NOTED OTHERWISE, ARE NOT SHOWN HEREON.
- VARIANCES FROM CURRENT ZONING CODES MAY EXIST BASED ON SITE PLAN APPROVALS OBTAINED DURING PERMITTING 11. BENCHMARK A: NAME: N-626, MIAMI-DADE COUNTY P-K NAIL & BRASS DISC IN CONCRETE GUTTER ACROSS FROM F.P.L. SUBD=STATION AT THE INTERSECTION OF N.W. 138TH STREET (PALMETTO FRONTAGE ROAD) AND N.W. 80TH AVENUE.
- ELEVATION=7.27 N.G.V.D. 1929. 12. BENCHMARK B: NAME: N-632, MIAMI-DADE COUNTY P-K NAIL & BRASS WASHER IN CONCRETE SIDEWALK 12' EAST OF FIRE HYDRANT ON THE S.W. CORNER OF THE INTERSECTION OF N.W. 146TH STREET AND N.W. 77TH AVENUE. ELEVATION=7.28 N.G.V.D.
- 13. UNLESS STATED OTHERWISE, THIS FIRM DOES NOT CERTIFY THE EXTENT TO WHICH THE SUBJECT PROPERTY COMPLIES WITH
- APPLICABLE ZONING REQUIREMENTS, REGULATIONS AND/OR RESTRICTIONS 14. THE BEARINGS SHOWN HEREON RELATE TO AN ASSUMED BEARING (NOO°07'01"E) ALONG THE CENTERLINE OF INDUSTRIAL WAY PER
- PLAT BOOK 117 AT PAGE 76. 15. THE REVIEW AND EXAMINATION OF TITLE EXCEPTIONS, WHEN CONDUCTED BY THIS FIRM, HAS BEEN PERFORMED UNDER THE SUPERVISION OF A LICENSED LAND SURVEYOR AND MAPPER. THE ATTESTING SURVEYOR AND MAPPER IS NEITHER TRAINED NOR LICENSED TO PROVIDE LEGAL ANALYSIS, INTERPRETATION, OR CONCLUSIONS ABOUT THE DOCUMENTS AND INSTRUMENTS REFERENCED IN ANY SUCH TITLE EXCEPTIONS AND THEREFORE NO SUCH LEGAL ANALYSIS, INTERPRETATION OR CONCLUSIONS SHOULD BE IMPLIED.
- 16. THERE ARE NO UNDERGROUND PUBLIC UTILITIES LYING WITHIN THE BOUNDARY OF THE SUBJECT PROPERTY. ALL PUBLIC UTILITIES (EXCLUDING SERVICE LINES SERVING THE SUBJECT PROPERTY) LIE WHOLLY WITHIN PUBLICLY DEDICATED RIGHTS-OF-WAY. ALL UNDERGROUND INFORMATION, WHEN PROVIDED BY OTHERS, IS SUBJECT TO THE ACCURACY OF THE INFORMATION PROVIDED. LACKING EXCAVATION, THE EXACT LOCATION OF UNDERGROUND FEATURES CANNOT BE ACCURATELY. COMPLETELY AND RELIABLY DEPICTED. WHERE ADDITIONAL OR MORE DETAILED INFORMATION IS REQUIRED, THE CLIENT IS ADVISED THAT EXCAVATION MAY BE
- 17. THE SUBJECT SITE HAS NO OBSERVED EVIDENCE OF CURRENT EARTH MOVING WORK, BUILDING CONSTRUCTION OR BUILDING
- 18. THE SUBJECT SITE HAS NO OBSERVED EVIDENCE OF HAVING BEEN USED AS A SOLID WASTE DUMP. SUMP OR SANITARY LANDFILL. 19. TO THE BEST OF MY KNOWLEDGE AND BELIEF, THERE ARE NO DESIGNATED WETLANDS LOCATED ON THE SUBJECT SITE.
- 20. AN EXPRESS PURPOSE OF THIS PLAT IS TO CLOSE, ABANDON, VACATE AND DISCONTINUE FROM PUBLIC USE THAT CERTAIN UNNAMED 20.00 FOOT WIDE RIGHT—OF—WAY LYING WITHIN THE BOUNDARY OF THE SUBJECT SITE AS SHOWN ON THE PLAT OF "CHAMBERS LAND COMPANY SUBDIVISION," PLAT BOOK 2 AT PAGE 68, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY. FLORIDA, SAID LANDS CONTAINING 21,314 SQUARE FEET, MORE OR LESS (0.489 ACRES, MORE OR LESS).



LOCATION SKETCH

SCALE: 1"=300" A PORTION OF SECTION 22-TOWNSHIP 52 SOUTH-RANGE 42 EAST, TOWN OF MIAMI LAKES, MIAMI-DADE COUNTY, FLORIDA

<u>TREE TABULATION.</u>

TREE NO	COMMON NAME	<u>SPECIES</u>	DIA.	HT.	CNPY.
				FT.	<u>FT.</u>
1	LIVE OAK	"Quercus virginiana"	28	35	75
2	LIVE OAK	"Quercus virginiana"	24	30	55
3	LIVE OAK	"Quercus virginiana"	30	35	70
4	LIVE OAK	"Quercus virginiana"	19	30	50
5	LIVE OAK	"Quercus virginiana"	30	30	50
6	LIVE OAK	"Quercus virginiana"	20	35	60
7	LIVE OAK	"Quercus virginiana"	18	30	60
8	LIVE OAK	"Quercus virginiana"	17	30	55
9	LIVE OAK	"Quercus virginiana"	21	32	60
10	LIVE OAK	"Quercus virginiana"	12	28	45
11	LIVE OAK	"Quercus virginiana"	22	30	55
12	LIVE OAK	"Quercus virginiana"	18	30	45
13	LIVE OAK	"Quercus virginiana"	12	25	40
14	LIVE OAK	"Quercus virginiana"	10	25	35
15	LIVE OAK	"Quercus virginiana"	12	25	25
16	SILK OAK	"Grevillea robusta"	10	30	25
17	SILK OAK	"Grevillea robusta"	10	30	35
18	LIVE OAK	"Quercus virginiana"	27	35	70
19	LIVE OAK	"Quercus virginiana"	10	25	25
20	LIVE OAK	"Quercus virginiana"	24	70	32
21	LIVE OAK	"Quercus virginiana"	15	30	50
22	LIVE OAK	"Quercus virginiana"	25	35	60
23	LIVE OAK	"Quercus virginiana"	22	30	50
76	ROYAL PALM	"Roystonia elata"	10	30	25
77	ROYAL PALM	"Roystonia elata"	12	30	30
78	LIVE OAK	"Quercus virginiana"	11	30	25
79	LIVE OAK	"Quercus virginiana"	14	30	30
80	LIVE OAK	"Quercus virginiana"	10	30	25
81	LIVE OAK	"Quercus virginiana"	15	30	30
82	LIVE OAK	"Quercus virginiana"	15	30	30
83	LIVE OAK	"Quercus virginiana"	10	30	20
84	SILK OAK	"Grevillea robusta"	6	25	30
85	SILK OAK	"Grevillea robusta"	6	22	15
86	ROYAL PALM	"Roystonia elata"	15	30	20
87	SILK OAK	"Grevillea robusta"	7	22	20
88	SILK OAK	"Grevillea robusta"	9	25	30
89	ROYAL PALM	"Roystonia elata"	15	30	25
90	ROYAL PALM	"Roystonia elata"	10	30	20
91	ROYAL PALM	"Roystonia elata"	14	30	25
92	ROYAL PALM	"Roystonia elata"	12	25	25
95	BRAZILIAN PEPPER	"Schinus terebinthifolius"	7	15	25
96	LIVE OAK	"Quercus virginiana"	14	28	40
98	LIVE OAK	"Quercus virginiana"	20	30	50
99	LIVE OAK	"Quercus virginiana"	20	30	55
101	LIVE OAK	"Quercus virginiana"	30	35	70

Note: The type/species of trees, as indicated hereon, are subject to correction pursuant to

visual verification by a qualified botanist or other individual with similar expertise.

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY THAT THIS "BOUNDARY SURVEY" OF THE PROPERTY DESCRIBED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AS RECENTLY SURVEYED AND DRAWN UNDER MY SUPERVISION AND DIRECTION. THIS SURVEY COMPLIES WITH THE STANDARDS OF PRACTICE REQUIREMENTS ADOPTED BY THE FLORIDA STATE BOARD OF SURVEYORS AND MAPPERS PURSUANT TO CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE.

Schwebke-Shiskin & Associates, Inc.

MARK STEVEN JOHNSON, PRINCIPAL PROFESSIONAL LAND SURVEYOR No. 4775 STATE OF FLORIDA.

 $_{NO.}^{FILE}$ ML - 1147

ELEVATIONS RELATE TO NATIONAL GEODETIC VERTICAL DATUM OF 1929 (N.G.V.D. 1929)

